




See online
technical sheet

/ LW03-14
Wire cutter with lever



/ Standards

- CEI 60855-1
- ASTM F711
- IEC 60832-1

/ Use

The wire cutter is used to cut wires and conductors.
Cutting capacity : 117mm²-Ø13.4mm / 4/0-230KCMIL
Insulating tubes, fiberglass over the foam core.
Solid control rod.

/ Advantages

- Plus léger
- Plus robuste
- Rapide et facile d'utilisation
- Coupe sans effort

/ Areas of activity

 Electrical distribution

/ Technical specifications

- Pole kind : Fixed
- Work type : Live working
- Operating voltage (V) : HTA (1 000 V to 50 000 V)
- Pipe kind : Rounded
- Pipe diameter (mm) : 39
- Pipe diameter (inch) : 1"1/2
- Color : Red
- Rod diameter (mm) : 15
- Rod diameter (inch) : 3/5"

/ Spare parts

	Reference	Designation
	LW03-14-TC	Cutting head

Product reference	Total length (m)	Total length (inch)	Longueur isolante (m)	Insulating length (inch)	Pole weight (kg)	Pole weight (pounds)
LW03-14-39-200	2.00	6'6"	1.00	3'3"	3.5	7.7
LW03-14-39-270	2.70	8'10"	1.70	5'6"	4.2	9.3
LW03-14-39-320	3.20	10'5"	2.20	7'2"	4.7	10.4
LW03-14-39-360	3.60	11'9"	2.60	8'6"	5.1	11.2